Mutation Research, 41 (1976) 415
© Elsevier/North-Holland Biomedical Press

AUTHOR INDEX

VOLUME 41 (1976)

Adams, M., 217
Arlett, C.F., 377
Auerbach, C., 3

Bardoděj, Z., 7
Bártová, J., 143
Beechey, C.V., 297
Böhme, H., 175
Brewen, J.G., 15
Brusick, D., 51

Carter, J.H., 209
Castleman, K.R., 153
Clarke, C.H., 201, 387
Cole, J., 377
Countryman, P.I., 321

de Serres, F.J., 43
Dohnalová, J., 143
Dostálová, O., 143

Frieden, H.J., 153

Goetz, P., 143
Goldman, P., 209
Goldstein, L.S., 289
Green, M.H.L., 377
Greet, D., 297
Gutter, B., 61

Haseman, J.K., 277
Heddle, J.A., 321
Hill, R.F., 387
Hollaender, A., 1
Hopwood, D.A., 201
Humphreys, E.R., 297

Ingelfinger, J.A., 209
Inui, N., 351

Janannath, D., 51
Jenssen, D., 311

Kaketomi, M., 351
Kleinhofs, A., 233
Kodýtková, I., 143
Kung, A.H.C., 391

Lee, B.T.O., 391
Lehrbach, P.R., 391
Leigh, B., 255

Maddern, R.H., 255
Malling, H.V., 171
Melnyk, J., 153
Mendelson, D., 209
Molnar, S.J., 361

Nicoloff, H., 249
Nishi, Y., 351

Oftedal, P., 173

Persinger, G.W., 153
Prakash, L., 241

Ramel, C., 311
Rauth, A.M., 361
Rosenkranz, H.S., 61

Searle, A.G., 297
Sedgwick, S.G., 185
Simonet, J.M., 225
Smith, J.A., 233
Soares, E.R., 277
Sobels, F.H., 179
Soderberg, F.B., 209
Speck, W.T., 61
Spindle, A.I., 289
Šrám, R.J., 25, 143
Stetka, D.G., 333, 343

Wall, R.J., 153
Warr, J.R., 217
Weekes, U., 51
Wheeler, L.A., 209
Wolff, S., 333, 343

Zimmerman, F.K., 163

Mutation Research, 41 (1976) 417—422
© Elsevier/North-Holland Biomedical Press

SUBJECT INDEX

VOLUME 41 (1976)

Aberrations, chromosome, as indices for risk estimates, 15
—, —, detection with Drosophila, 163
—, —, in irradiated cultures of human lymphocytes, 321
—, —, in relation to genetic risk, significance of, 15
—, —, produced by viruses, 179
—, —, recovery by bithorax transvection method, with *Drosophila melanogaster*, 95
Acetylene, 83
Acetylisoniazide, mutagenicity, 89
Actinomycetes, mutagenesis, 201
Aflatoxin B_1, 7
Alpha-particles, exposure, in mice, 297
Amides, in *Vicia faba*, 249
Amines, 7
Analogs, structural, non-carcinogens, 43
Analysis, human chromosome, contradictory opinions, 123
—, karyotype, by computer, 153
Angiosarcoma, and vinyl chloride, 131, 179
Arsenite, potentiation of effects of TEPA, indicating defective repair, 179
Ascomycetes, and meiotic inhibition, 225
Aspergillus nidulans, chromosomal loss in mitotic cells, 163
Assay, microbial, procedures in safety evaluation, 89
8-Azaguanine, direct administration of AF-2 to hamster cells, producing 8-AG resistant colonies, 351
6-Azauracil, effect of, in UV induction of streptomycin-resistant mutations of *Escherichia coli*, 387
Azide, mutagenesis, effect of excision repair, 233

Benz(a)pyrene, 7
Benzene, 83
Binominial, model, in statistical tests, validity, 277
Bis(2-chloro-)ethylsulfide, 7
Bithorax, method, detection of rearrangements in *Drosophila melanogaster*, 269
—, transvection method, recovery of chromosome aberrations, 95
Bone marrow, cytogenetic analysis, in mice, 25
Breaks, double-strand, produced by X-rays, 311
—, restitution of, timing, in *Drosophila melanogaster*, 255

Cancer, lymphatic, and vinyl chloride, 131
Carcinogen, possible, acetylsalicyclic acid, 395
—, —, erythrosine, 395
—, —, sodium nitrate, 395
—, —, sodium nitrite, 395
—, potential, in animal tests, general criteria, 395
—, vinyl chloride, 131, 179
Carcinogenicity, on long term rodent experiments from positive data generated in mutagenicity tests, 395
Carcinogens, chemical, current status of testing programs, 395
—, —, mutagenicity, 43
—, industrial chemicals, 83
—, mutagenic, in induction of sister chromatid exchanges, 333
—, non-mutagenic, 43
—, non-, mutagenicity of, 43
Cells, bone-marrow, cytembena and cyclophosphamide treatment, 143
Chemical carcinogens, mutagenicity, 43
Chemicals, as genetic hazard, 15
—, environmental, late toxic effects, rapid screening test, 43
—, —, mutagenicity screening systems, 89
—, —, —, testing, 153
—, —, regulatory control, 73
—, mutagenic activity, in human lymphocyte cultures, 107
—, potentially toxic, registry, 1

Chi-square test, and level of significance in statistical tests, 277
Chlamydomonas reinhardi, mutagenic activity of hydroxyurea, 217
Chloramphenicol, effect of, in UV induction of streptomycin-resistant mutations, *E. coli*, 387
1-Chloro-2,3-epoxypropane, 123
Chromosome, analysis, automated, 153
—, breakage, and gene mutation, relationship, 3
—, —, latent, 3
—, damage, in post-meiotic germ cells, 15
—, duplication of paternal chromosome tip, in *Drosophila melanogaster*, 255
—, human, cytogenetic analysis, estimation of risk, 123
—, loss, induced loss and partial loss in *Drosophila melanogaster*, 255
—, rearrangements, origin of, 3
Clarke-Hill effect, UV-induced streptomycin resistance in *Escherichia coli*, 387
CNS, diseases, and vinyl chloride, 131, 179
Cobalt-60, exposure to mice, 297
Committee 17, of Environmental Mutagen Society, environmental mutagenesis, evolving strategies in the U.S.A., 25
Computer, karyotype analysis and application to mutagenicity testing, 153
Conference, on In Vitro Mutagenicity and Carcinogenicity and Carcinogenicity Tests Seattle, Wash., July 1975, 395
Crossing-over, and mutation, relation, 3
Cycliphosphamide, dominant lethal test in mice, 25
—, treatment of bone-marrow cells, 143
Cytembena, treatment of bone-marrow cells, 143

Damage, chromosomal, induced in human lymphocytes, by X-rays, 321
—, genetic capacity of *Drosophila melanogaster* for detection, 95
Daughter-strand gaps, misrepair, mechanism for UV-induced mutagenesis, 185
Deletions, detection, in Neurospora, 163
—, proportion of, among point mutations, 3
Diazomethane, 7
Diepoxybutane, in *Drosophila melanogaster*, 269
Diethylnitrosamine, in *Drosophila melanogaster*, 269
Dimethylnitrosamine, tumor susceptibility in mice, 51
DNA-modifying activity, microbial assay, 61
DNA, polymerase I deficient mutations in *Pseudomonas aeruginosa*, 391
—, repair, in *Saccharomyces cerevisiae*, 241
—, —, test, mammalian cells, 43
Dominant-lethal effect, in statistical test, 277
—, mutations induced by X-rays, 289
Dose-effect curves, 3
Dose-response, low doses of X-irradiation and MMS, in mice, 311
Down's Syndrome, micronucleus frequency in patients, 321
Drosophila melanogaster, capacity for detecting genetic damage, 95
—, chromosome breaks in mature sperm, induced by X-rays, 255
—, detection of rearrangements by bithorax method, 269
—, metabolic activation reactions, 179
—, recessive lethal mutations in X-chromosome, 163

Environmental chemicals, mutagenicity screening systems, 89
Environmental Programme, U.S., 1
Epichlorohydrin, monofunctional alkylating agent, 123
—, epidemiological studies, 179
Epididymal, sperm count of mice exposed to gamma radiation, 297
Escherichia coli, azide mutagenesis, 233
—, detection capacities, 179
—, DNA polymerase deficient assay, 61
—, rapair-deficient, assay system, 43
—, simultaneous mutation detection, 163
—, UV-induced mutagenesis, 185
—, UV-induced streptomycin resistance and mutation frequency decline, 387
Ethionine, 7
Ethyl methanesulfonate, dominant lethal test in mice, 25
—, —, induction of genetic damage, 333
—, —, mutagenesis, in potential of mammalian temperature-sensitive leucyl-tRNA synthetase mutant, 361
Ethylene, 83
Ethyleneimine, chromosome structural changes in *Vicia faba*, 249
Eutrophication, environmental, 1
Evaluation, mutagenicity testing, multi-component procedures, 175
Excision-reapir, deficient strains of *E. coli*, Clark-Hill effect, 387
Exposure, significance of long terms, in mutagenicity testing, 25

Fetal death, in mice, and implications on statistical tests, 277

5-Fluorouracil, 7
Fluctuation, test, determining induced mutation in L5178Y mouse lymphoma cells, 377
Food, additive, Af-2, mutagenic effects on golden hamster cells, transplacental application, 351
Formamide, effect on structural changes in *Vicia faba*, 249
2-(2-furyl)-3-(5-nitro-2-furyl)-acrylamide, effect on CHO embryonic cells, 351

Gamma-rays, exposure to mice, 297
Genetic damage, sister chromatid exchange as assay, in vitro test, 343
Geneticists, task for mutagenicity screening, 113
Genes, dominant, phonotypic damage, determination, 113
—, mutator, 3
—, mutation and chromosome breakage, relationship, 3
Germ-free rats, Salmonella mutation association, 209

Halothane, exposure, and congenital effects, 179
Hamster, Chinese, ovary cells, sister chromatid exchange as assay for genetic damage, 343
—, golden Syrian, effect on embryonic cells, on transplacental application of Af-2, 351
—, golden Syrian embryo, in vitro transformation, 43
Harlequin, chromosome techniques, revealing sister chromatid exchange, in Chinese hamster ovary cells, 343
1,2,3,4,5,6-Hexachlorocyclohexane, recent studies on carcinogenicity, 395
Human cell line, W138, DNA repair test, 43
Hydrazine sulfate, mutagenicity, 89
Hydrocarbons, halogenated, carcinogenic-mutagenic effects, 7
—, olefinic and aromatic, 7
Hydroxylase, biphenyl, induction, 71
Hydroxyurea, in *Chlamydimonas reinhardi*, 217
5-Hydroxyuridine, effect of, in UV induction of streptomycin-resistant mutations in *Escherichia coli*, 387

Imuran, epidemiological studies, 179
—, human exposure, 123, 179
Industrial chemicals, evaluation of genetic risk, 7
—, predictive testing scheme, carcinogenicity and mutagenicity, 83
Industrial toxicology, viewpoint of, in metabolic studies, 7
Isoniazide, in *Salmonella typhimurium* host-mediated assay, 89
Isonicotinylhydrazide, mutagenicity, in *Salmonella typhimurium* host-mediated assay, 89

Karyotype, analysis, by computer, 153
Kinetics, activation, 51

Lesions, premutational, and their repair, 3
Lethality, dominant, causes of, 3
—, dominant, in post-meiotic germ cells, 15
Leucyl-tRNA synthetase, mutant, investigation into potential of mammalian temperature-sensitive synthetase, 361
Luria-Delbrück, fluctuation tests, for determination of mutation rate to ouabain resistance, 377
Lymphocytes, human, for evaluation of mutagenic activity of chemicals, 107
—, —, recommendation of use of culture, 107

Malignancy, in vitro, cell transformation, 71
Mammalian systems, mutagenesis testing, 171
Metabolic activation, compounds requiring, in vitro test, assays for sister-chromatid exchange, 343
Metabolic studies, and evaluation of genetic risk, 7
Metaphase, location, automatic, 153
Methanol, 83
Methyl methanesulfonate, 7
—, induction of micronuclei in mice, 311
—, mutation in L5178Y mouse lymphoma cells, determined by Luria-Delbrück fluctuation test, 377
—, sister-chromatid exchanges, 333
—, sensitivity in *Pseudomonas aeruginosa*, 391
—, treatment of spermatids and spermatozoa, 15
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine, effect on embryonic Syrian golden hamster cells, 351
Micronuclei, induced in mammalian bone-marrow, 311
—, production from chromosome aberrations in humam lymphocytes, 321
MMS, see methyl methanesulfonate
Monohydroxyurea, 217
Mouse, dominant lethal mutations induced X-rays, 289
—, erythroblast, induction of micronuclei by X-irradiation and MMS, 311
—, exposure to ^{239}Pu and gamma rays from ^{60}Co, 297

—, in mutagenicity testing, methodologies, 179
—, in vivo and in vitro analysis, dominant lethal mutations, 289
—, lymphoma cell line, mutation induction, 43
—, lymphoma cells, induced mutation determined by fluctuation test. 377
—, tumor susceptibility, with dimethylnitrosamine, 51
Mutagen, acetylisoniazide, 89
—, AF-2, effect on embryonic cells of Syrian golden hamster, 351
—, azide, 233
—, chemical, in *Drosophila melanogaster*, 269
—, chemical, induction of sister chromatid exchanges, 333
—, classification, 163
—, diepoxybutane, 269
—, diethylnitrosamine, 269
—, ethyl methanesulfonate, 361
—, hydrazine sulfate, 89
—, hydroxyurea, 217
—, isoniazide, 89
—, isonicotinylhydrazide, 89
—, monohydroxyurea, 217
—, 2-nitrofluorene, 209
—, testing, methodologies, with mice, 179
—, trichloroethylene, 7
—, vinyl chloride, 7, 131, 179
Mutagen-carcinogens, not requiring metabolic activation, induced in cultures Chinese hamster ovary cells, 343
Mutagenesis, assay, coupled with mouse tissue microsomal enzyme activation systems, 51
—, chemical, in *Saccharomyces cerevisiae*, 241
—, evaluation, three-tier appraoch, 71
—, induced by SOS repair, 185
—, old problems in, and bearing on mutagen testing, 3
—, techniques, to explain differences in susceptibilities in mice, 51
—, testing, in mammalian systems, 171
—, —, viewpoints, 175
Mutagenic potentials, general criteria in determination of, in experimental organisms, 395
Mutagenicity, chemical, indicator of health hazard, 73
—, data, criteria for evaluation, 395
—, —, in mammals for estimation of human risk, 15
—, in mice after acute and chronic exposures, 25
—, in vitro, Seattle Conference, July 1975, 395
—, screening, standardization of methods, 113
—, testing and risk estimation with mammals, 113
—, —, environmental chemicals, 73
—, —, industrial chemicals, 83
—, —, of environmental chemicals, 153
Mutagens, environmental, assay in *Salmonella typhimurium*, 61
—, —, rapid detection, 61
—, —, sub-mammalian systems in screening programs, 163
—, non-carcinogenic, 43
Mutant, extragenic suppressor, with alteration in function affecting protein synthesis, 361
Mutation, and relation between crossing-over, and rearrangement formation, 3
—, assay, protocol using new class of mutants of somatic cells, 361
—, frequency decline, and Clarke-Hill effect in *Escherichia coli*, 387
—, induced, dominance effects, 3
—, —, in L5178Y mouse lymphoma cells, 377
—, induction, mouse lymphoma cells, 43

2-Naphthylamine, 7
Neurospora crassa, detection of deletions and point mutations, 163
—, meiotic inhibition, 225
2-Nitrofluorene, 209
Nitrogen, fixation, 1
Nitrosamines, 7

Ouabain, resistance, spontaneous mutation in L5178Y mouse lymphoma cells, 377

Plastics, production of, metabolic studies in, 7
Plutonium-239, exposure of mice, 297
Podospora anserina, meiosis-deficient mutants, 225
Point mutations, detection, in *Neurospora crassa*, 163
Poisson model, in statistical tests, validity, 277
Pollutants, chemical, as mutagenic hazard, 15
Povidone-iodine, DNA-modifying properties, 61
Pre-implantation failure, in in vitro analysis in mice, 289
Pronucleus, transition to, in *Drosophila melanogaster*, 255
Propylene, 83
Protein-protein, interaction, and amides, 249
Pseudomonas aeruginosa, mutants deficient in DNA polymerase I, 391

Radiation, mutagenesis, in *Saccharomyces cerevisiae*, 241
Radiation-equivalent, dose concept, 71
Radionuclides, cytogenic effect, significance with alpha-emitters, 297
Rearrangement, formation, and mutation, relationship, 3
Replication, chromosomes, in *Drosophila melanogaster*, 255
Reticulum, endoplasmic, degranulation test, 71
Reversion, induced in *Streptomyces coelicolor*, 201
Risk, associated with vinyl chloride, 131, 179
—, cancer, and vinyl chloride, 131
—, estimation, cytogenetic analysis of human chromosomes, 123
—, —, panel discussion, 173
—, —, with mammalian test systems, 113
—, genetic, evaluation of, from viewpoint of industrial toxicology, 7

Saccharomyces cerevisiae, DNA repair, radiation, and chemical mutagenesis, 241
—, in vitro technique for metabolic activation, 43
—, meiotic inhibition, 225
—, reverse mutation system, 163
—, without in vitro technique for metabolic activation, 43
Safety evaluation, based on microbial assay procedures, 89
Salmonella typhimurium, association of mutants with germ-free rats, 209
—, azide mutagenesis, 233
—, detection capacities, 179
—, histidine-requiring strains, assay system, 43
—, indicator organism, in mutation assays, 51
—, mutagenesis, in detecting environmental mutagens, 61
—, mutagenicity of INH in host-mediated assay, 89
—, test data tabulation, 43
Schizosaccharomyces pombe, and meiotic inhibition, 225
Seattle, Wash., conference on in vitro mutagenicity and carcinogenicity and carcinogenicity tests, 395
Sister chromatid exchange, as assay for genetic damage induced by mutagen carcinogens, 343
—, induction in vivo test, 333
Slide preparation, assembly, semiautomated, 153
Slide, search, automatic, 153
Sodium arsenite, dominant lethal test in mice, 25
SOS repair, mutagenesis, 185
Specific-locus, mutation rates in mice, measurement, 113
Spermatogonia, recovery of chromosomal effects in, after treatment, 15
Streptomyces coelicolor, UV-induced mutagenesis, 201
Streptomycin-resistant mutations in *Escherichia coli*, and Clarke-Hill effect, 387
Styrene biotransformation in man, 7
Sub-mammalian systems, in screening for environmental mutagens, 163

Temperature-sensitive, conditional lethal mutants of somatic cells, protocol for mutation assay, 361
TEPA, dominant lethal test in mice, 25
—, human chromosome exposure, 123
—, potentiation of effects by arsenite, indicating defective repair, 169
Teratogen, vinyl chloride, 131
6-Thioguanine, direct administration of AF-2 to hamster cells, producing 6-TG resistant colonies, 351
THIOTEPA, dominant lethal test, in mice, 25
Toluene, 83
Translocation, induced in mice by gamma rays, 297
Transvection phenotype, scoring in *Drosophila melanogaster*, 269
Tris-(aziridinyl)phosphine oxide, 7

United Nations Environmental Programme, 1
UV-induced mutagenesis, in *Escherichia coli*, 185
—, in *Streptomyces coelicolor*, 201
—, irradiation, DNA repair in *Saccharomyces cerevisiae*, 241
—, —, on mammalian temperature-sensitive leucyl-tRNA synthetase mutant, 361
—, —, *Pseudomonas aeruginosa*, mutants deficient in DNA polymerase I, 391
—, sensitivity in *Podospora anserina*, 225

Vicia faba, structural changes in chromosomes, 249
Vinyl chloride, epidemiological studies, 179
—, human exposure, 123, 179
—, risks associated with, 131, 179

X-ray induction of dominant lethal mutations in mice, 289
X-rays, damage, in human lymphocytes, 321
—, induction of chromosome breaks, in *Drosophila melanogaster*, 255
—, induction of micronuclei in mouse erythroblasts, 311
Xylene, 83